INDEX

	Page
Acanthoscelides floridae, infestation of indigobush	84
Aedes aegypti. *See* Mosquito, yellow-fever.	
Aleurites fordii. *See* Tung fruit.	
Alfalfa—	
plant processes, effect on aphid feeding	41–43
resistance to aphids—	
effect of light, temperature, and moisture	33–36
food availability	36–41
susceptible to attack by the pea aphid, temporary immunity. W. T. Emery	33–43
Alkaloids, potato—	
preparation and properties	3–6
quantitative determination	10–14
ALLARD, H. A.: Clockwise and Counterclockwise Spirality in the Phyllotaxy of Tobacco	237–242
ALLMENDINGER, D. F., and GERHARDT, FISK: The Influence of α-Naphthaleneacetic Acid Spray on the Maturity and Storage Physiology of Apples, Pears, and Sweet Cherries	189–206
Amorpha—	
efficacy, comparison with other insecticides	93
repellency	93–95
toxicity to mammals	95
Amorpha fruticosa—	
description and range	81–82
dusts—	
efficacy as insecticides	91–93
preparation and testing	90–91
extract—	
chemical properties	85–86
preparation	85
toxicity	86–89
insecticidal properties. Charles H. Brett	81–96
sprays—	
efficacy as insecticides	91–93
preparation and testing	89–90
See also Indigobush.	
Aphids—	
feeding, plant processes affecting	41–42, 43
pea, attack on susceptible alfalfa temporarily immune. W. T. Emery	33–43
Apple orchards, treated with borax applications, effects on fruit	246–251
Apples—	
boron content—	
effects on treatment of soil with borax	246–251
relation to color and storage disorders	244–246
harvest drop, effect of α-naphthaleneacetic acid spray	193–197
maturity, influence of α-naphthaleneacetic acid spray. Fisk Gerhardt and D. F. Allmendinger	189–206
physical and chemical characteristics, relation to boron content	247–248
sprayed, feeding to pigs	159–165
storage—	
disorders, relation to boron content	248–251
physiology, influence of α-naphthaleneacetic acid spray. Fisk Gerhardt and D. F. Allmendinger	189–206
quality, relation to soil applications of boron. Mark H. Haller and L. P. Batjer	243–253
Arealometer, description and operation	101–102
Argentina, sugar beet yellow wilt. C. W. Bennett and Carlos Munck	45–64
Arsenic trioxide, toxicity to swine, comparison with lead arsenate spray residue, lead arsenate, and lead acetate. Kermit Groves, Ernest C. McCulloch, and J. L. St. John	159–166
Asclepias syriaca—	
description	65–66
pods—	
general features	66–67
types found in Michigan—	
F. K. Sparrow	65–80
descriptions	68–79
Atanus exitiosus, vector of yellow wilt virus of sugar beets	59–60
Bacterial spot of native golden currant (*Ribes aureum*). G. W. Bohn and J. C. Maloit	281–290
BARHAM, H. N., and WAGONER, J. A.: Effect of Time and Conditions of Cure on the Carbohydrate Composition of Sweetpotatoes and the Properties of Their Starches	255–280
Barley—	
autotetraploid, effects of heat and X-rays on dormancy	139–156
diploid, effects of heat and X-rays on dormancy	139–156
BATJER, L. P., and HALLER, MARK H.: Storage Quality of Apples in Relation to Soil Applications of Boron	243–253
Beans, lima, vines—	
composition and apparent digestibility for sheep. Max Phillips, C. O. Miller, and R. E. Davis	177–187
dehydrated—	
ammonium oxalate extractives, determination	179–180
furfural-yielding constituents, determination	179–180
pectic-substance content, determination	180–181
dry-matter and nutrient content	183
BENNETT, C. W., and MUNCK, CARLOS: Yellow Wilt of Sugar Beet in Argentina	45–64
Beta—	
virus 6. See *Chlorogenus patagoniensis* n. sp.	
vulgaris. *See* Sugar beet.	
BOHN, G. W., and MALOIT, J. C.: Bacterial Spot of Native Golden Currant (*Ribes aureum*)	281–290
Boron, applications to soil, relation to storage quality of apples. Mark H. Haller and L. P. Batjer	243–253
BRETT, CHARLES H.: Insecticidal Properties of the Indigobush (*Amorpha fruticosa*)	81–96
BRIGGS, H. M.:	
GALLUP, WILLIS D., and DARLOW, A. E.: The Nutritive Value of Cottonseed Meal, Soybean Meal, and Peanut Meal When Used Separately and Together To Supplement the Protein of Prairie Hay in Experiments With Steers	167–176
HELLER, V. G., DARLOW, A. E., GALLUP, WILLIS D., and HOEFER, J. A.: The Nutritive Value of Cottonseed Meal, Soybean Meal, and Peanut Meal When Used Separately and Together To Supplement the Protein of Prairie Hay in Experiments with Lambs	359–366
Carbohydrate—	
composition of sweetpotatoes, effect of time and conditions of cure. H. N. Barham and J. A. Wagoner	255–280
constituents of pea and lima-bean vines, composition and apparent digestibility for sheep. Max Phillips, C. O. Miller, and R. E. Davis	177–187

Page

Cassava starch, comparison with sweet-potato starch 270, 277-280
Cat willow. *See* Indigobush.
Cereal seeds, dormant—
  chromosomal aberrations after heat and X-ray treatments 151-156
  comparative effects of heat and X-rays, with special reference to polyploidy. Luther Smith 137-158
  heat tolerance, effect of polyploidy 141-143
  tolerance for combinations of heat and X-ray treatments 146-151
  viability, effects of heat and X-rays 139-141
  X-ray tolerance, effect of polyploidy 143-146
Cherries—
  harvest drop, effect of α-naphthaleneacetic acid spray 202-203
  sweet, maturity and storage physiology, influence of α-naphthaleneacetic acid spray. Fisk Gerhardt and D. F. Allmendinger 189-206
Chlorogenus patagoniensis—
  causal agent in spread of yellow wilt in sugar beets 60
  n. sp.—
    on sugar beets, control 60-63
    technical description 60
Chromosomes in wheat, secondary pairing and basic numbers 297-298
Cold-hardiness of peach fruit buds, factors affecting 207-233
Cotton—
  fiber—
    measurement, instruments 99-102
    properties, environmental modification as a source of error in experiments. D. M. Simpson and K. L. Hertel 97-111
    strength tester, description and operation 100-101
  fibers, factors affecting—
    fineness 104-107
    length 102-103
    length, uniformity 103-104
    strength 107-108
Cottonseed meal, nutritive value alone and with other meals to supplement prairie hay protein—
  experiments with lambs. H. M. Briggs, V. G. Heller, A. E. Darlow, Willis D. Gallup, and J. A. Hoefer 359-366
  experiments with steers. H. M. Briggs, Willis D. Gallup, and A. E. Darlow 167-176
Cullinan, F. P., and Scott, D. H.: Some Factors Affecting the Survival of Artificially Frozen Fruit Buds of Peach 207-236
Currant, native golden—
  bacterial spot—
    G. W. Bohn and J. C. Maloit 281-290
    pathogen, description 284-287
    symptoms and infection 282-284
  See also *Ribes aureum*.
Cuscuta campestris and *C. subinclusa*, transmission of yellow wilt of sugar beets 56-57
Cyperus—
  esculentus—
    seed—
      germination tests 305-307
      production, viability, and dormancy. Oren L. Justice and Marvin D. Whitehead 303-318
  rotundus—
    seed—
      germination tests 305-307
      production, viability, and dormancy. Oren L. Justice and Marvin D. Whitehead 303-318
    seed, structure 304-305

Darlow, A. E., Briggs, H. N.:
  and Gallup, Willis D.: The Nutritive Value of Cottonseed Meal, Soybean Meal, and Peanut Meal When Used Separately and Together To Supplement the Protein of Prairie Hay in Experiments with Steers 167-176

Page

Darlow, A. E., Briggs, H. N.—Continued
  Heller, V. G., Gallup, Willis D., and Hoefer, J. A.: The Nutritive Value of Cottonseed Meal, Soybean Meal, and Peanut Meal, When Used Separately and Together To Supplement the Protein of Prairie Hay in Experiments with Lambs 359-366
Davis, R. E., Phillips, Max, and Miller, C. O.: Composition and Apparent Digestibility of the Carbohydrate and Other Constituents of Pea and Lima-Bean Vines When Fed to Sheep 177-187
Dodder, transmission of yellow wilt of sugar beets 56-57
Duggar, B. M., and Wolf, M. J.: Estimation and Physiological Role of Solanine in the Potato 1-32

Einkorn—
  haploids—
    description and occurrence 292-295
    fertility 298-299
    from X-rayed pollen 293-294
    meiosis 295-297
    progeny 299
  haploidy. Luther Smith 291-301
  parthenogenesis 299
Emery, W. T.: Temporary Immunity in Alfalfa Ordinarily Susceptible to Attack by the Pea Aphid 33-43
Environmental modification of fiber properties, source of error in cotton experiments. D. M. Simpson and K. L. Hertel 97-111
Ewes, feeding on dehydrated pea and lima-bean vines, experiments 181-185

Fibrograph, description and operation 99-100
Flax—
  rust. See *Melampsora lini*.
  varietal resistance to *Melampsora lini* 337-356
Flor, H. H.: Genetics of Pathogenicity in *Melampsora lini* 335-357
Freezing—
  artificial, of peach fruit buds, survival, factors affecting. D. H. Scott and F. P. Cullinan 207-236
  rates and duration, effects on survival of peach fruit buds 218-223
Fruit drop, control by α-naphthaleneacetic acid spray 189-206
Fruits—
  maturity, influence of α-naphthaleneacetic acid spray 189-206
  storage physiology, influence of α-naphthaleneacetic acid spray 189-206

Gallup, Willis D., Briggs, H. N.:
  and Darlow, A. E.: The Nutritive Value of Cottonseed Meal, Soybean Meal, and Peanut Meal When Used Separately and Together To Supplement the Protein of Prairie Hay in Experiments with Steers 167-176
  Heller, V. G., Darlow, A. E., and Hoefer, J. A.: The Nutritive Value of Cottonseed Meal, Soybean Meal, and Peanut Meal When Used Separately and Together To Supplement the Protein of Prairie Hay in Experiments with Lambs 359-366
Genetics of pathogenicity in *Melampsora lini*. H. H. Flor 335-357
Gerhardt, Fisk, and Allmendinger, D. F.: The Influence of α-Naphthaleneacetic Acid Spray on the Maturity and Storage Physiology of Apples, Pears, and Sweet Cherries 189-206
Groves, Kermit, McCulloch, Ernest C., and St. John, J. L.: Relative Toxicity to Swine of Lead Arsenate Spray Residue, Lead Arsenate, Lead Acetate, and Arsenic Trioxide 159-166

Page

HALLER, MARK H., and BATJER, L. P.: Storage Quality of Apples in Relation to Soil Applications of Boron ... 243–253
Haploidy in einkorn. Luther Smith ... 291–301
Hay, prairie, protein, supplementing by cottonseed meal, soybean meal, and peanut meal separately and together—
experiments with lambs. H. M. Briggs, V. G. Heller, A. E. Darlow, Willis D. Gallup, and J. A. Hoefer ... 359–366
experiments with steers. H. M. Briggs, Willis D. Gallup, and A. E. Darlow ... 167–176
Heat, effect on dormant seeds of cereals with special reference to polyploidy. Luther Smith ... 137–158
HELLER, V. G., BRIGGS, H. M., DARLOW, A. E., GALLUP, WILLIS D., and HOEFER, J. A.: The Nutritive Value of Cottonseed Meal, Soybean Meal, and Peanut Meal When Used Separately and Together To Supplement the Protein of Prairie Hay in Experiments with Lambs ... 359–366
Hemicelluloses in pea and lima-bean vines, apparent digestibility for sheep ... 177–186
HERTEL, K. L., and SIMPSON, D. M.: Environmental Modification of Fiber Properties as a Source of Error in Cotton Experiments ... 97–111
HOEFER, J. A., BRIGGS, H. M., HELLER, V. G., DARLOW, A. E., and GALLUP, WILLIS D.: The Nutritive Value of Cottonseed Meal, Soybean Meal, and Peanut Meal When Used Separately and Together To Supplement the Protein of Prairie Hay in Experiments with Lambs ... 359–366
Hormones, plant, sprays, effect on maturity and storage physiology of fruit ... 189–206

Indigobush—
insect infestations ... 84
insecticidal properties. Charles H. Brett ... 81–96
See also *Amorpha fruticosa*.
Insecticidal properties of the indigobush (*Amorpha fruticosa*). Charles H. Brett ... 81–96
Insects—
susceptibility to *Amorpha fruticosa* ... 91–95
transmission of yellow wilt of sugar beets ... 57–59
Ipomoea batatas. *See* Sweetpotato; Sweetpotatoes.

JOHNSTON, FREDERICK A., JR., SELL, HAROLD M., and LAGASSE, FELIX S.: Changes in the Chemical Composition of the Tung Fruit and Its Component Parts ... 319–334
JUSTICE, OREN L., and WHITEHEAD, MARVIN D.: Seed Production, Viability, and Dormancy in the Nutgrasses, *Cyperus rotundus* and *C. esculentus* ... 303–318

LAGASSE, FELIX S., SELL, HAROLD M., and JOHNSTON, FREDERICK A., JR.: Changes in the Chemical Composition of the Tung Fruit and Its Component Parts ... 319–334
Lambs—
nitrogen utilization on hay and high-protein meals ... 360–361, 362–364
nutrition, value of cottonseed meal, soybean meal, and peanut meal used separately and together as supplements for protein of prairie hay. H. M. Briggs, V. G. Heller, A. E. Darlow, Willis D. Gallup, and J. A. Hoefer ... 359–366
Lead acetate, toxicity to swine, comparison with lead arsenate spray residue, lead arsenate, and arsenic trioxide. Kermit Groves, Ernest C. McCulloch, and J. L. St. John ... 159–166
Lead arsenate spray residue, toxicity to swine, comparison with lead arsenate, lead acetate, and arsenic trioxide. Kermit Groves, Ernest C. McCulloch, and J. L. St. John ... 159–166
Leafhopper, vector of yellow wilt virus of sugar beets ... 59–60
Light, influence on synthesis and distribution of solanine in potato tubers ... 17–20

Page

Macrosiphum pisi, attack on susceptible alfalfa temporarily immune ... 33–43
Maize—
autotetraploid, effects of heat and X-rays on dormancy ... 139–156
diploid, effects of heat and X-rays on dormancy ... 139–156
MALOIT, J. C., and BOHN, G. W.: Bacterial Spot of Native Golden Currant (*Ribes aureum*) ... 281–290
MCCULLOCH, ERNEST C., GROVES, KERMIT, and ST. JOHN, J. L.: Relative Toxicity to Swine of Lead Arsenate Spray Residue, Lead Arsenate, Lead Acetate, and Arsenic Trioxide ... 159–166
MCQUILKIN, W. E.: Tests of Direct Seeding with Pines in the Piedmont Region ... 113–136
Meals, nutritive value used separately and together as supplements to prairie hay protein—
experiments with lambs ... 359–366
experiments with steers ... 167–175
Meiosis, occurrence in einkorn haploids ... 295–297
Melampsora lini—
crosses, pathogenicity to flax varieties ... 337–356
parental races, genotypes, pathogenicity ... 346–356
pathogenicity—
factors on flax varieties ... 336, 346–354, 355–356
genetics. H. H. Flor ... 335–357
variation, possibilities ... 336–346
South American × North American hybrids, virulence ... 335–357
Michigan, *Asclepias syriaca* pods, types, occurrence. F. K. Sparrow ... 65–80
Milkweed pods, occurrence in Michigan ... 65–80
MILLER, C. O., PHILLIPS, MAX, and DAVIS, R. E.: Composition and Apparent Digestibility of the Carbohydrate and Other Constituents of Pea and Lima-Bean Vines When Fed to Sheep ... 177–187
Mosquito, yellow-fever—
reactions to *Amorpha fruticosa* ... 81, 87–88
rearing technique ... 87
MUNCK, CARLOS, and BENNETT, C. W.: Yellow Wilt of Sugar Beet in Argentina ... 45–64

α-Naphthaleneacetic acid spray, effect on—
fruit drop, ripening, and core break-down in pears ... 201
maturity and storage physiology of apples, pears, and sweet cherries. Fisk Gerhardt and D. F. Allmendinger ... 189–206
stem moisture, soluble solids, and weight of cherries ... 202
water core and break-down of apples ... 194–197
National forests, reforestation by direct seeding, tests ... 113–134
Nicotiana rustica and *N. tabacum*, phyllotaxy, clockwise and counterclockwise spirality, studies ... 237–241
Nitrogen utilization by—
lambs fed hay and meals ... 360–361, 362–364
steers fed hay and meals ... 172–174
Nutgrasses, seed production, viability and domancy. Oren L. Justice and Marvin D. Whitehead ... 303–318

Oats—
diploid, seeds, effects of heat and X-rays on dormancy ... 139–156
hexaploid, seeds, effects of heat and X-rays on dormancy ... 139–156
tetraploid, seeds, effects of heat and X-rays on dormancy ... 139–156

Parthenogenesis in einkorn ... 299
Pea aphid, attack on susceptible alfalfa temporarily immune. W. T. Emery ... 33–43
Pea vines—
composition and apparent digestibility for sheep. Max Phillips, C. O. Miller, and R. E. Davis ... 177–187
dehydrated—
ammonium oxalate extractives, determination ... 179–180

Pea vines—Continued. Page
dehydrated—Continued.
furfural-yielding constituents, determination 179-180
pectic-substance content, determination 180-181
dry-matter and nutrient content 184
Peach—
fruit buds—
artificially frozen, survival, factors affecting. D. H. Scott and F. P. Cullinan 207-236
freezing injury, determination 212-233
moisture content, effect on survival after freezing 225-229
shoots, size, effects on survival of frozen buds 217-218
varieties—
relation to freezing injury 229-231
variability in relation to freezing injury 216
Peanut meal, nutritive value alone and with other meals to supplement prairie hay protein—
experiments with lambs. H. M. Briggs, V. G. Heller, A. E. Darlow, Willis D. Gallup, and J. A. Hoefer 359-366
experiments with steers. H. M. Briggs, Willis D. Gallup, and A. E. Darlow 167-176
Pears—
harvest drop, effect of α-naphthaleneacetic acid spray 197-202
maturity and storage physiology, influence of α-naphthaleneacetic acid spray. Fisk Gerhardt and D. F. Allmendinger 189-206
PHILLIPS, MAX, MILLER, C. O., and DAVIS, R. E.: Composition and Apparent Digestibility of the Carbohydrate and Other Constituents of Pea and Lima-Bean Vines When Fed to Sheep 177-187
Photoperiod, effect on synthesis and distribution of solanine in potato 19-20
Piedmont region, direct seeding with pines, tests. W. E. McQuilkin 113-136
Pigs, poisoning by arsenic and lead sprays 159-165
Pines, direct seeding—
corroborative tests 125-130
field trials 130-134
in Piedmont region, tests. W. E. McQuilkin 113-136
survival factors 117-125
tests with loblolly, shortleaf, and Virginia species 115-134
Plant-growth-promoting chemicals, effect on maturity and storage physiology of fruit 189-206
Polyploidy in dormant seeds of cereals, effects of heat and X-rays, comparisons. Luther Smith 137-158
Potato—
alkaloids—
preparation and properties 3-6
quantitative determination 10-14
solanine in, estimation and physiological roles. M. J. Wolf and B. M. Duggar 1-32
tissues, assay for alkaloids 11-14
tubers—
assay for alkaloids 11-14
solanine distribution 14-16
variety, relation to solanine in tubers 16-17
Prairie hay. *See* Hay, prairie.
Protein of prairie hay, supplementing by cottonseed meal, soybean meal, and peanut meal, separately and together—
experiments with lambs. H. M. Briggs, V. G. Heller, A. E. Darlow, Willis D. Gallup and J. A. Hoefer 359-366
experiments with steers. H. M. Briggs, Willis D. Gallup, and A. E. Darlow 167-176
Prunus persica. *See* Peach.
Pseudomonas ribicola n. sp., technical description 288

Rations, lamb, value of meals and hay 359-366
Reforestation, national forests, by direct seeding, tests 113-134
Ribes aureum, bacterial spot—
G. W. Bohn and J. C. Maloit 281-290
pathogen, taxonomy and technical description 288

Rye— Page
autotetraploid, effects of heat and X-rays on dormancy 139-156
diploid, effects of heat and X-rays on dormancy 139-156

ST. JOHN, J. L., GROVES, KERMIT, and MCCULLOCH, ERNEST C.: Relative Toxicity to Swine of Lead Arsenate Spray Residue, Lead Arsenate, Lead Acetate, and Arsenic Trioxide 159-166
SCOTT, D. H., and CULLINAN, F. P.: Some Factors Affecting the Survival of Artificially Frozen Fruit Buds of Peach 207-236
Seeds, dormant, of cereals, comparative effects of heat and X-rays, with special reference to polyploidy. Luther Smith 137-158
SELL, HAROLD M., JOHNSTON, FREDERICK A., JR., and LAGASSE, FELIX S.: Changes in the Chemical Composition of the Tung Fruit and Its Component Parts 319-334
Sheep, digestion of carbohydrates and other constituents of pea and lima-bean vines. Max Phillips, C. O. Miller, and R. E. Davis 177-187
SIMPSON, D. M., and HERTEL, K. L.: Environmental Modification of Fiber Properties as a Source of Error in Cotton Experiments 97-111
SMITH, LUTHER:
A Comparison of the Effects of Heat and X-Rays on Dormant Seeds of Cereals, with Special Reference to Polyploidy 137-158
Haploidy in Einkorn 291-301
Soil, boron, application, relation to storage quality of apples. Mark H. Haller and L. P. Batjer 243-253
Solanine—
content of potato, seasonal variation 20-28
distribution in potato tubers—
factors 14-16
influence of light 17-20
in potato, estimation and physiological role. M. J. Wolf and B. M. Duggar 1-32
solubility in water, determination 6-9
synthesis in potato, influence of light 17-20
Solanum commersonii, solanine content 16-17, 28
Soybean meal, nutritive value alone and with other meals to supplement prairie hay protein—
experiments with lambs. H. M. Briggs, V. G. Heller, A. E. Darlow, Willis D. Gallup, and J. A. Hoefer 359-366
experiments with steers. H. M. Briggs, Willis D. Gallup, and A. E. Darlow 167-176
SPARROW, F. K.: Types of Pods of *Asclepias syriaca* Found in Michigan 65-80
Spirality, clockwise and counterclockwise in phyllotaxy of tobacco. H. A. Allard 237-242
Spray residue, toxicity to pigs 159-165
Starch, sweetpotato, comparison with tapioca starch 270, 277-278
Starches, sweetpotato—
analyses 257-258
changes during cure 264-272
comparison with tapioca starch 270, 277-278
gelatinization rate 264-269
properties, effect of time and conditions of cure. H. N. Barham and J. A. Wagoner 255-280
recovery 256
Steers, feeding with meals used separately and together as supplements to prairie hay protein, experiments. H. M. Briggs, Willis D. Gallup, and A. E. Darlow 167-176
Storage quality of apples, relation to soil applications of boron. Mark H. Haller and L. P. Batjer 243-253
Sugar beet, yellow wilt, in Argentina. C. W. Bennett and Carlos Munck 45-64
Sugar beets—
wilt, phase of disease, symptoms in field 49-52
yellow wilt symptoms in greenhouse 52-53
yellows phase of wilt disease, field symptoms 47-49
Sweetpotato starches. *See* Starches, sweetpotato.

Page

Sweetpotatoes—
carbohydrate composition and starch properties, effect of time and conditions of cure. H. N. Barham and J. A. Wagoner. 255–280
cure, time, and conditions, effect on carbohydrate composition and properties of starches. H. N. Barham and J. A. Wagoner 255–280
curing for starch recovery 256
piped, chemical analyses 256–257
starch recovery 256
tissue—
changes during cure 259–264, 272–277
weights 259
Swine, toxicity of lead arsenate spray residue, lead arsenate, lead acetate, and arsenic trioxide, comparison. Kermit Groves, Ernest C. McCulloch, and J. L. St. John 159–166

Tapioca starch, comparison with sweetpotato starch 270, 277–278
Tobacco—
phyllotaxy, clockwise and counterclockwise spirality. H. A. Allard 237–242
plants, clockwise and counterclockwise spirality, frequency 238–241
Triticum monococcum. *See* Einkorn.
Tung fruit—
alcohol-soluble nitrogen content of whole and parts 321, 323–326, 329–332
chemical—
analysis, methods 320–322
composition, biweekly analyses, results 322–328
composition, changes, and changes in its component parts. Harold M. Sell, Frederick A. Johnston, Jr., and Felix S. Lagasse 319–334
dry matter content of whole and parts 321, 322–323, 324–325, 329–332
nitrogen content of whole and parts 321, 323, 324–326, 329–332
oil content of whole and parts, and factors affecting 322, 324–325, 328–332
polysaccharide content of whole and parts 322, 324–325, 327–328, 329–332

Page

Tung fruit—Continued.
starch content of whole and parts 321–322, 324–325, 327, 329–332
sugar content of whole and parts 321, 324–325, 326, 329–332

WAGONER, J. A., and BARHAM, H. N.: Effect of Time and Conditions of Cure on the Carbohydrate Composition of Sweetpotatoes and the Properties of Their Starches 255–280
Wheat—
chromosomes, secondary pairing and basic number 297–298
diploid, seeds, effects of heat and X-rays on dormancy 139–156
hexaploid, seeds, effects of heat and X-rays on dormancy 139–156
tetraploid, seeds, effects of heat and X-rays on dormancy 139–156
WHITEHEAD, MARVIN D., and JUSTICE, OREN L.: Seed Production, Viability, and Dormancy in the Nutgrasses, *Cyperus rotundus* and *C. esculentus* 303–318
Wilt, yellow—
host range 46
of sugar beet—
control methods 60–63
in Argentina. C. W. Bennett and Carlos Munck 45–64
occurrence in Argentina 45–46
symptoms 47–53
virus transmission 53–59
WOLF, M. J., and DUGGAR, B. M.: Estimation and Physiological Role of Solanine in the Potato 1–32

X-rays, effect on dormant seeds of cereals with special reference to polyploidy. Luther Smith 137–158

Yellow-fever mosquito. *See* Mosquito, yellow-fever.
Yellow wilt. *See* Wilt, yellow.